

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	811	347/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/02 14:30
S4	22	347/7.ccls. and stick	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/02 14:30
S5	4475	"347"/\$3.ccls. and (melt or liquify or phase or change) and (stick or solid) and (power or energy) and temperature and (monitor or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/02 14:34
S6	82	"347"/7.ccls. and (melt or liquify or phase or change) and (stick or solid) and (power or energy) and temperature and (monitor or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/02 14:38
S7	7	"347"/7.ccls. and (melt or liquify or phase adj change) and (stick or solid) and (power or energy) and temperature and (monitor or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/02 14:41
S8	3	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick adj jam) and (power or energy) and temperature and (monitor or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 07:35
S9	1681	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt or melt) and (power or energy) and temperature and (monitor or control or interrupt or stop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 07:15
S10	11	"347"/7.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt or melt) and (power or energy) and temperature and (monitor or control or interrupt or stop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/02 14:48

S11	1459	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:24
S12	1290	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop) and ((predetermined or threshold) same ink or liquid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 07:21
S13	885	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop) and ((predetermined or threshold) same ink or liquid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:24
S14	5	"347"/\$3.ccls. and ink near stick near jam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:49
S15	364	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop) and (jam or obstruction or impedance or obstruct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 07:39
S16	1040	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop) and (jam or obstruction or impedance or obstruct or blockage or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 11:35
S17	676	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop) and ((predetermined or threshold) same ink or liquid) and (jam or obstruction or impedance or obstruct or blockage or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 09:01

S18	520	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop) and ((predetermined or threshold) same ink) and (jam or obstruction or impedance or obstruct or blockage or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 09:20
S19	503	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop) and ((predetermined or threshold) same ink) and (jam or obstruction or obstruct or blockage or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 09:51
S20	64	"347"/\$3.ccls. and ink near stick same (jam or misfeed or block or blocking or obstruct or obstruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 14:23
S21	340	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink ) and (power or energy) and temperature and (monitor or control or interrupt or stop) and ((predetermined or threshold) same ink) and (jam or obstruction or obstruct or blockage or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:14
S22	208	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink ) and (power or energy) and temperature same (monitor or control or interrupt or stop) same (predetermined or threshold) and (jam or obstruction or obstruct or blockage or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:17
S23	206	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink ) and (power or energy) and temperature same (monitor or control or interrupt or stop) same (predetermined or threshold) and (ink same (jam or obstruction or obstruct or blockage or blocking or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:18

S24	154	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (power or energy) and temperature same (monitor or control or interrupt or stop) same (predetermined or threshold) and (ink same (jam or obstruction or obstruct or blockage or blocking or block)) same (ink adj stick or solid near ink )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:21
S25	3	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (power or energy) and temperature same (monitor or control or interrupt or stop) same (predetermined or threshold) and (ink same (jam or obstruction or obstruct or blockage or blocking or block)) same (ink adj stick or solid near ink )) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:22
S26	3	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (power or energy) and temperature same (monitor or control or interrupt or stop) same (predetermined or threshold) and (ink same (jam or obstruction or obstruct or blockage or blocking or block)) same (ink adj stick or solid near ink )) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:21
S27	0	"347"/\$3.ccls. and solid adj ink same tray and heater and power adj supply same control adj circuit and sensor same heater adj temperature same interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:23
S28	1	"347"/\$3.ccls. and solid adj ink and tray and heater and power adj supply and control adj circuit and sensor and heater adj temperature and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:24
S29	1071	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop)) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:24

S30	504	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop) and ((predetermined or threshold) same ink or liquid)) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:25
S31	113	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink or hot adj melt) and (power or energy) and temperature and (monitor or control or interrupt or stop) same ((predetermined or threshold) )) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:27
S32	47	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink or hot adj melt) and (power or energy) and temperature same (monitor or control or interrupt or stop) same ((predetermined or threshold) )) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:29
S33	36	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid near ink) and (power or energy) and temperature same (monitor or control or interrupt or stop) same ((predetermined or threshold) )) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 10:29
S34	359	"347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt) same (jam or obstruction or impedance or obstruct or blockage or blocking or block) and(power or energy) and temperature and (monitor or control or interrupt or stop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 11:36
S35	142	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt) same (jam or obstruction or impedance or obstruct or blockage or blocking or block) and(power or energy) and temperature and (monitor or control or interrupt or stop)) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 11:46

S36	23	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt) same (jam or obstruction or impedance or obstruct or blockage or blocking or block) same (detect or detection or notice or determine or determining) and(power or energy) and temperature and (monitor or control or interrupt or stop)) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 11:49
S37	24	("347"/\$3.ccls. and (melt or liquify or phase adj change) and (ink adj stick or solid or hot adj melt) same (jam or obstruction or impedance or obstruct or blockage or error or blocking or block) same (detect or detection or notice or determine or determining) and(power or energy) and temperature and (monitor or control or interrupt or stop)) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:28
S38	138	"347"/\$3.ccls. and (ink adj stick or solid or hot adj melt) near (jam or obstruction or impedance or obstruct or blockage or error or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:28
S39	35	"347"/\$3.ccls. and (ink adj (stick or solid)) near (jam or obstruction or impedance or obstruct or blockage or error or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:57
S40	1	"347"/\$3.ccls. and detect same (ink adj (stick or solid)) near (jam or obstruction or impedance or obstruct or blockage or error or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:30
S41	3	"347"/\$3.ccls. and (detect or detect or find or control) same (ink near (stick or solid)) near (jam or obstruction or impedance or obstruct or blockage or error or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:31
S42	93	"347"/\$3.ccls. and (detect or detect or find or control) same (ink near (stick or solid)) same (jam or obstruction or impedance or obstruct or blockage or error or blocking or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:32

S43	1	"347"/\$3.ccls. and (detect or detect or find) same (ink near (stick or solid)) same (jam or obstruction or impedance or obstruct or blockage or error or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:33
S44	3	"347"/\$3.ccls. and (detect or detect or find) same (ink near5 (stick or solid)) same (jam or obstruction or impedance or obstruct or blockage or error or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:33
S45	36	"347"/\$3.ccls. and (detect or detect or find) same (ink near7 (stick or solid)) and (jam or obstruction or obstruct or blockage or error or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:44
S46	264	"347"/\$3.ccls. and ink near5 jam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:49
S47	3	"347"/\$3.ccls. and ink near5 jam near9 detect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:50
S48	19	"347"/\$3.ccls. and ink near5 (jam or block) near9 (detect or determine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:53
S49	0	"347"/\$3.ccls. and ink near4 solid near5 (jam or block) near9 (detect or determine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:53
S50	2	"347"/\$3.ccls. and (ink adj (stick or solid)) near (jam or obstruction or impedance or obstruct or blockage or error or blocking or block) near (detect or detecting or determine or determining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:57

S51	2	"347"/\$3.ccls. and (ink adj (stick or solid)) near (jam or obstruction or impedance or obstruct or blockage or error or blocking or block) near (detect or detecting or determine or determining or sense or sensing or sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:58
S52	22	"347"/\$3.ccls. and (ink adj (stick or solid)) same (jam or obstruction or impedance or obstruct or blockage or error or blocking or block) same (detect or detecting or determine or determining or sense or sensing or sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 13:59
S53	6	"347"/\$3.ccls. and ink near3 (stick or block or solid) same (jam or misfeed or blocking or obstruct or obstruction) same (detect or sense or detecting or sensing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 14:28
S54	1	("347"/88.ccls. or 347/99.ccls.) and ink near3 (jam or misfeed or blocking or obstruct or obstruction) same (detect or sense or detecting or sensing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 14:30
S55	1	("347"/88.ccls. or 347/99.ccls.) and ink near5 (jam or misfeed or blocking or jams or jamming or obstruct or obstruction) same (detect or sense or detecting or sensing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 14:30
S56	1	("347"/88.ccls. or 347/99.ccls.) and (ink or liquid) near5 (jam or misfeed or blocking or jams or jamming or obstruct or obstruction) same (detect or sense or detecting or sensing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 14:30
S57	46	("347"/\$3.ccls.) and (ink or liquid) near5 (jam or misfeed or blocking or jams or jamming or obstruct or obstruction) same (detect or sense or detecting or sensing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/09/06 14:31